



TYPHOON® SPOUTING SYSTEM

Typhoon® is a half round spouting system designed specifically for New Zealand homes and conditions. This contemporary design offers a choice of either internal or external brackets.



Cross-sectional area 6100 mm²

NOW AVAILABLE IN...



GREY FRIARS IRONSAND BLACK

METALLIC COLOURS



COPPER TITANIUM

TYPHOON® SPOUTING COMPONENTS

COMPONENT	PRODUCT	TITANIUM CODE	QTY	COPPER CODE	QTY	GREY FRIARS CODE	QTY	IRONSAND CODE	QTY	BLACK CODE	QTY
TYPHOON® SPOUTING 4m Length		MT1.4.TTN		MT1.4.COP		MT1.4.GYF		MT1.4.IRO		MT1.4.BLK	
INTERNAL BRACKET		MT2I.TTN		MT2I.COP		MT2I.GYF		MT2I.IRO		MT2I.BLK	
EXTERNAL BRACKET		MT2E.TTN		MT2E.COP		MT2E.GYF		MT2E.IRO		MT2E.BLK	
EXPANSION OUTLET 80mm		MT8.80.TTN		MT8.80.COP		MT8.80.GYF		MT8.80.IRO		MT8.80.BLK	
DROPPER OUTLET 80mm		MT11.80.TTN		MT11.80.COP		MT11.80.GYF		MT11.80.IRO		MT11.80.BLK	
JOINER		MT5.TTN		MT5.COP		MT5.GYF		MT5.IRO		MT5.BLK	
EXPANSION JOINER		MT17.TTN		MT17.COP		MT17.GYF		MT17.IRO		MT17.BLK	
EXTERNAL ANGLE 90°		MT6.TTN		MT6.COP		MT6.GYF		MT6.IRO		MT6.BLK	
INTERNAL ANGLE 90°		MT7.TTN		MT7.COP		MT7.GYF		MT7.IRO		MT7.BLK	
LEFT HAND STOPEND		MT3.TTN		MT3.COP		MT3.GYF		MT3.IRO		MT3.BLK	
RIGHT HAND STOPEND		MT4.TTN		MT4.COP		MT4.GYF		MT4.IRO		MT4.BLK	
SPECIAL SPOUTING ANGLE - FLAT		MTSPEC.F.TTN		MTSPEC.F.COP		MTSPEC.F.GYF		MTSPEC.F.IRO		MTSPEC.F.BLK	
SPECIAL SPOUTING ANGLE - RAKE		MTSPEC.R.TTN		MTSPEC.R.COP		MTSPEC.R.GYF		MTSPEC.R.IRO		MTSPEC.R.BLK	



Flexipak Customised Ordering Service – Get exactly what you want! Now you can order rainwater products in the exact quantities you want, ready within 48 hours with Flexipak™, the new Custom Ordering Service.


How it works

1. Place an order for any Flexipak products.
2. Your order will be ready within 48 hours.
3. A full range of accessories complement all Flexipak products.

STORMCLOUD® SPOUTING SYSTEM

New Zealand's favourite quarter round spouting profile joins the Marley Stratus Design Series® presenting sharp, clean lines that frame your home with a modern gloss colour finish.

Available with internal brackets, Marley Stormcloud is a versatile profile that has truly stood the test of time.



Cross-sectional area 5100 mm²

NOW AVAILABLE IN...



GREY FRIARS IRONSAND BLACK

STORMCLOUD® SPOUTING COMPONENTS

COMPONENT	GREY FRIARS PRODUCT	GREY FRIARS CODE	QUANTITY	IRONSAND CODE	QUANTITY	BLACK CODE	QUANTITY
STORMCLOUD® SPOUTING 4m Length		MS1.4.GYF		MS1.4.IRO		MS1.4.BLK	
STORMCLOUD® BRACKET		MS2.GYF		MS2.IRO		MS2.BLK	
EXPANSION OUTLET 80mm		MS8.80.GYF		MS8.80.IRO		MS8.80.BLK	
EXPANSION OUTLET 65mm		MS8.65.GYF		MS8.65.IRO		MS8.65.BLK	
JOINER		MS5.GYF		MS5.IRO		MS5.BLK	
EXPANSION JOINER		MS17.GYF		MS17.IRO		MS17.BLK	
EXTERNAL ANGLE 90°		MS6.GYF		MS6.IRO		MS6.BLK	
INTERNAL ANGLE 90°		MS7.GYF		MS7.IRO		MS7.BLK	
LEFT HAND STOPEND		MS3.GYF		MS3.IRO		MS3.BLK	
RIGHT HAND STOPEND		MS4.GYF		MS4.IRO		MS4.BLK	
SPECIAL SPOUTING ANGLE - FLAT		MSSPEC.F.GYF		MSSPEC.F.IRO		MSSPEC.F.BLK	
SPECIAL SPOUTING ANGLE - RAKE		MSSPEC.R.GYF		MSSPEC.R.IRO		MSSPEC.R.BLK	




Flexipak Customised Ordering Service – Get exactly what you want! Now you can order rainwater products in the exact quantities you want, ready within 48 hours with Flexipak™, the new Custom Ordering Service.

How it works

1. Place an order for any Flexipak products.
2. Your order will be ready within 48 hours.
3. A full range of accessories complement all Flexipak products.

RP80® 80MM ROUND DOWNPIPE SYSTEM

RP80® 80mm round downpipes are well suited to most houses and buildings and can be used when subjected to head pressure eg. connected to water tanks.
Note: Round downpipes must not be used in wall or ceiling cavities.



Spreader kit



NOW AVAILABLE IN...



RP80® 80MM ROUND DOWNPIPE COMPONENTS

COMPONENT	PRODUCT	TITANIUM CODE	QTY	COPPER CODE	QTY	GREY FRIARS CODE	QTY	IRONSAND CODE	QTY	BLACK CODE	QTY
ROUND DOWNPIPE 80mm 3m Length NB: Nonsocketed – use jointing socket RS80.TTN		RP80.TTN		RP80.COP		RP80.GYF		RP80.IRO		RP80.BLK	
95° F+F BEND 80mm		RB2.80.TTN		RB2.80.COP		RB2.80.GYF		RB2.80.IRO		RB2.80.BLK	
95° M+F BEND 80mm		RB4.80.TTN		RB4.80.COP		RB4.80.GYF		RB4.80.IRO		RB4.80.BLK	
43° F+F BEND 80mm		RB3.80.TTN		RB3.80.COP		RB3.80.GYF		RB3.80.IRO		RB3.80.BLK	
43° M+F BEND 80mm		RB5.80.TTN		RB5.80.COP		RB5.80.GYF		RB5.80.IRO		RB5.80.BLK	
JOINTING SOCKET 80mm		RS80.TTN		RS80.COP		RS80.GYF		RS80.IRO		RS80.BLK	
95° JUNCTION 80mm		RJ80.TTN		RJ80.COP		RJ80.GYF		RJ80.IRO		RJ80.BLK	
PIPE CLIP-SADDLE 80mm		RC80.TTN		RC80.COP		RC80.GYF		RC80.IRO		RC80.BLK	
PIPE CLIP ADJUSTABLE 80mm		RC80.2.TTN		RC80.2.COP		RC80.2.GYF		RC80.2.IRO		RC80.2.BLK	
PIPE CLIP ADJUSTABLE SPACER 80mm		RC80.2S.TTN		RC80.2S.COP		RC80.2S.GYF		RC80.2S.IRO		RC80.2S.BLK	
ADAPTOR 80 to 90mm		RA80.90.TTN		RA80.90.COP		RA80.90.GYF		RA80.90.IRO		RA80.90.BLK	
ADAPTOR 80 TO 100mm		RA80.100.TTN		RA80.100.COP		RA80.100.GYF		RA80.100.IRO		RA80.100.BLK	
DOWNPIPE SPREADER KIT 80mm		SKIT80.TTN		SKIT80.COP		SKIT80.GYF		SKIT80.IRO		SKIT80.BLK	
END CAP 80mm		CS80.TTN		CS80.COP		CS80.GYF		CS80.IRO		CS80.BLK	
DROPPER OUTLET N.B For flat bottom spouting only		MC11.80.TTN		MC11.80.COP		MC11.80.GYF		MC11.80.IRO		MC11.80.BLK	
CURVE™ LEAF DIVERter		CURVE.TTN		CURVE.COP		CURVE.GYF		CURVE.IRO		CURVE.BLK	
TWIST® RAINWATER DIVERter		TWIST.TTN		TWIST.COP		TWIST.GYF		TWIST.IRO		TWIST.BLK	
GALVANISED NAILS 150 Per Packet		MCNAILS		MCNAILS		MCNAILS		MCNAILS		MCNAILS	
SOLVENT WELDING CEMENT - 180G TUBE		MCS.TTN		MCS.COP		MCS.GYF		MCS.IRO		MCS.BLK	

MAR2924 August 2017